Universal Parts

Exhaust Technologies

going the extra mile

www.dinex.net

Contents

Symbol Identification 3
Dinex Group 4
Product Program 5

Clamps and Brackets

FlexFit & FlexJoiner Clamps 6
Circle & ButtFit Flat Clamps 7
PipeFit & TightFit Clamps 8
HoseFit, Heavy Duty & CT Band Clamps 9
Truck Make Clamps 10
U-Bolt Clamps 12
DIN Clamps 13
Hinged Clamps, Pipe Brackets & Pipe Clamps 14

V-Clamp Connection

V-Clamp Connection Kits (Truck Make Specific) 15
Heavy Duty V-Clamps 16
V-Clamps Low Leakage 17
Exhaust Assembly Paste 17

Rubber Mountings

Rubber Mountings 18

Pipe & Silencer Straps

Pipe & Silencer Straps 19

Heat Shields

Heat Shields 20

Bends & Elbows

Bends OD/OD 21
Bends OD/ID 23
Elbows 25

- continued on next page

Contents *- continued*

Pipes & Adaptors

Straight Pipes 27
Extension Pipes 28
Tail Pipes 29
T & Y Adaptors, Connectors 30
Pipe Adaptors 31
Pipe Connectors 32
Insulation 32
Flex Pipes 33
Bellows 36

Silencers

Absorption Silencers 38
Auxiliary Heater Exhaust Flex pipes 38
Universal Silencers 39
Universal Silencers, INOX 45

Spark Arrestors

Spark Arrestors 46
Pipe Spark Arrestors & Exhaust Trims 47

Catalytic Converters

Universal Catalytic Converters 48

Rain Caps

Rain Caps 49

Vertical Systems

VIP Systems - Identifying the Correct VIP System 50
VIP Systems - Parts Specification 52
VIP Systems - Accessories 53
Vertical Outlet Pipe Systems 54

Instruction

Flex pipe mounting instruction 56

Notes

Symbol Identification

L	=	Length	ALU	=	Aluminised
W	=	Width	INOX	=	Stainless Steel
mm	=	Millimetre	ZINC	=	Zinc Coated
Inch	=	Inch	GALV	=	Galvanized
Ø	=	Diameter	SPD	=	Mild Steel
OD	=	Outside Diameter	OE	=	Original Equipment
ID	=	Inside Diameter	HP	=	Horse Power
CLR	=	Center Line Radius	BP	=	Back Presure

Dinex Group
- going the extra mile

The Dinex Group is a leading global manufacturer and distributor of innovative engineered exhaust and emission control products and solutions for the heavy duty and gas engine industry.

Today, the Dinex Group, headquartered in Denmark, operates through 16 companies and employs approximately 1300 dedicated people worldwide.

The Dinex Group is present in 14 different countries with production and sales facilities in Denmark, UK, Finland, Germany, Latvia, USA, Turkey, Russia and China. Additionally, the Dinex Group has sales companies in Spain, Italy, France, Germany, UK, Poland and Serbia.

- Headquarter
- R&D, Production, Development & Sales
- Production, Development & Sales
- Sales
- Distribution center

- Dinex A/S, DK
- Dinex Ecocat Oy, FI
- Dinex Latvia SIA, LV
- Dinex Emission Inc., US
- Dinex Emission System, CN
- Dinex Deutschland GmbH

- Dinex Clamps Ltd., GB
- Dinex RUS LLC, RU
- Dinex Egzoz ve Emisyon Tekn.sa, TR
- JV - Hubei Dinex Tongda Emission Solution Co. Ltd., CN

- Dinex Exhausts Ltd., GB
- Dinex Polska Sp. Z.o.o., PL
- Dinex GmbH, DE
- Dinex Etma SAS, FR
- Dinex Italia S.R.L., IT
- Dinex Ibérica Sistemas de Esca, ES
- Dinex Balkan D.O.O., RS
- Dinex Deutschland GmbH, DE

Our vision is to...

... create value to our customers throughout the entire exhaust system lifecycle ...

... through competitive edges ...

Edges
- Dinex offers

- Forefront **technology**
- **In-house** manufacturing capabilities
- A **complete** product range
- Reliable **on-time** delivery

... and core values.

Values
- Dinex strives to be

- **Flexible** and **agile**
- **Close** to customers
- A **trusted** partner
- An **independent** partner

Broad Universal Product Program
- from turbo to tailpipe

- Full scale value-added business support
- High availability, complete & progressive product range
- Global in-house manufacturing & R&D footprint
- Own core emission technologies
- High OE quality

FlexFit & FlexJoiner Clamps

FlexFit Clamps

Dinex no.	Dinex no.	Ø flex		Ø pipe	
ALU	INOX	mm	Inch	mm	Inch
99250	99251	55,0	2 1/8	50,0	2
99257		57,0	2 1/4	62,0	2 1/2
	99258	57,0	2 1/4	62,0	2 1/2
99260	99261	65,0	2 1/2	60,0	2 3/8
99264	99265	67,0	2 2/3	63,5	2 1/2
99270	99269	75,0	3	70,0	2 3/4
99276	99277	81,2	3 1/5	76,2	3
99280	99281	84,0	3 1/3	80,0	3 1/8
99289	99290	93,6	3 2/3	88,9	3 1/2
99300	99301	105,0	4 1/5	100,0	3 7/8
99302	99303	106,6	4 1/5	101,6	4
99308		113,0	4 1/2	108,0	4 1/4
99310	99311	115,0	4 1/2	110,0	4 1/3
80871	99315	119,0	4 3/4	114,3	4 1/2
99320	99321	125,0	5	120,0	4 3/4
99327	99328	132,0	5 1/5	127,0	5
99352	99350	158,0	6 1/5	152,0	6

FlexFit Clamps

Dinex no.	Dinex no.	Ø flex		Ø pipe	
ALU	INOX	mm	Inch	mm	Inch
	99316	119	4 3/4	114	4 1/2
99317		132	5 1/4	128	5

Material thickness 0,7 mm

FlexJoiner Clamp

Dinex no.	Dinex no.	Ø flex	
ALU	INOX	mm	Inch
99278	99279	77,1	3
99282	99283	81,0	3 1/8
99288	99291	88,9	3 1/2
99305	99306	102,7	4 3/8
99307	99309	110,0	4 1/3
99323	99324	115,5	4 1/2
99325	99326	121,1	4 3/4
99330	99331	132,0	5 1/16
99341	99342	157,5	6 1/5

Tightening torque 80 Nm.
Material thickness 0,7 mm

Circle & ButtFit Flat Clamps

Circle Clamps

Dinex no.	Ø mm	Ø Inch
ZINC		
99082	76,0 - 82,0	3
99094	83,0 - 94,0	3 1/2
99107	95,0 - 107,0	4
99114	108,0 - 114,0	4 1/4
99119	115,0 - 119,0	4 1/2
99132	120,0 - 132,0	5
99154	142,0 - 154,0	6

ButtFit Flat Clamps

Dinex no.	Dinex no.	Ø mm	Ø Inch
ALU	INOX		
99351	99451	50,8	2
99357	99457	57,0	2 1/4
99360		60,3	2 3/8
99363	99463	63,5	2 1/2
99370	99470	69,9	2 3/4
99376	99476	76,2	3
99389	99489	88,9	3 1/2
99402	99502	101,6	4
99408		108,0	4 1/4
99414	99514	114,3	4 1/2
99427	99527	127,0	5
99428		140,0	5 1/2
99455	99554	152,4	6

Tightening torque 80 Nm.
Material thickness 0,7 mm

PipeFit & TightFit Clamps

PipeFit Clamps

Dinex no.	Ø mm	Ø Inch	Clamp size range
INOX			Ø mm
99815	47,6	1 7/8	48 - 54
99800	50,8	2	51 - 57
99801	57,0	2 1/4	57 - 63
99816	60,3	2 3/8	60 - 66
99802	63,5	2 1/2	64 - 70
99817	66,7	2 5/8	67 - 73
99803	69,9	2 3/4	70 - 76
99804	76,2	3	76 - 82
99818	79,4	3 1/8	80 - 86
99805	85,0		85 - 91
99806	88,9	3 1/2	89 - 95
99819	100,0		100 - 106
99807	101,6	4	102 - 108
99808	110,0		110 - 116
99809	114,3	4 1/2	114 - 120
99810	120,0		120 - 126
99811	127,0	5	127 - 133
99812	139,7	5 1/2	140 - 146
99813	152,4	6	152 - 158

Tightening torque 60 Nm.
Material thickness 1.5 mm
Heavy Duty

TightFit Clamps

Dinex no.	Dinex no.	Ø mm	Ø Inch
ALU	INOX		
99851	99852	51,0 - 54,0	2
99858	99859	54,0 - 57,0	2 1/4
99860	99861	60,0 - 63,0	2 3/8
99864	99865	64,0 - 67,0	2 1/2
99866	99867	66,0 - 69,0	2 5/8
99871	99872	71,0 - 74,0	2 3/4
99877	99878	78,0 - 81,0	3
99880	99881	81,0 - 84,0	3 1/8
99885	99886	86,0 - 89,0	3 1/3
	99890	90,0 - 93,0	3 1/2
99892	99893	91,0 - 94,0	3 1/2
99900	99901	101,0 - 105,0	4
99903	99904	102,0 - 106,0	4
99910	99911	111,0 - 116,0	4 3/8
99915	99916	115,0 - 119,0	4 1/2
99920	99921	122,0 - 127,0	4 3/4
99928	99925	128,0 - 132,0	5
99953	99954	153,0 - 158,0	6
	99944	142,0 - 146,0	5 1/2
	99956	158,0 - 163,0	6 1/5

Tightening torque 30 Nm.
Material thickness 1.5 mm

HoseFit, Heavy Duty & CT Band Clamps

HoseFit Clamps

Dinex no.	Ø mm	Ø Inch	A mm
INOX			
99150	50,0 - 55,0	2 - 2 1/5	20
99157	55,0 - 59,0	2 1/5 - 2 1/3	20
99160	59,0 - 63,0	2 1/3 - 2 1/2	20
99164	63,0 - 68,0	2 1/2 - 2 2/3	25
99176	79,0 - 85,0	3 - 3 1/3	25
99189	91,0 - 97,0	3 1/2 - 3 4/5	30
99202	104,0 - 112,0	4 - 4 2/5	25
99214	112,0 - 121,0	4 2/5 - 4 4/5	20
99227	121,0 - 133,0	4 4/5 - 5 1/5	30
99235	130,0 - 140,0	5 - 5 1/2	30

CT Band Clamps

Dinex no.	Ø mm	Ø Inch
INOX		
98870	32 - 54	1 1/4 - 2 1/8
98871	44 - 67	1 3/4 - 2 5/8
98872	57 - 79	1 1/4 - 3 1/8
98873	70 - 92	2 3/4 - 3 5/8
98874	83 - 105	3 1/4 - 4 1/8
98875	95 - 117	3 3/4 - 4 5/8
98876	108 - 130	4 1/4 - 5 1/8
98877	121 - 143	4 3/4 - 5 5/8
98878	133 - 156	5 1/4 - 6 1/8
98879	146 - 168	5 3/4 - 6 5/8
98880	159 - 181	6 1/4 - 7 1/8
98881	171 - 194	6 3/4 - 7 5/8
98882	184 - 206	7 1/4 - 8 1/8
98883	197 - 219	7 3/4 - 8 5/8
98884	210 - 232	8 1/4 - 9 1/8

Heavy Duty Clamps

Dinex no	Ø mm	Ø Inch
ALU		
99548	45,5 - 48,5	1 4/5 - 1 9/10
99550	47,5 - 50,5	1 9/10 - 2
99553	50,5 - 53,5	2 - 2 1/10
99555	52,5 - 55,5	2 - 2 2/5
99558	55,5 - 58,5	2 2/5 - 2 1/3
99560	57,5 - 60,5	2 1/4 - 2 2/5
99563	60,5 - 63,5	2 2/5 - 2 1/2
99565	62,5 - 65,5	2 1/2 - 2 2/3
99568	65,5 - 68,5	2 2/3 - 2 7/10
99570	67,5 - 70,5	2 2/3 - 2 7/8
99573	71,5 - 73,5	2 4/5 - 2 9/10
99575	73,5 - 75,5	2 9/10 - 3
99578	75,5 - 78,5	3 - 3 1/9
99580	77,5 - 80,5	3 - 3 1/6
99585	82,5 - 85,5	3 1/4 - 3 2/5
99589	87,5 - 90,5	3 2/5 - 3 1/2
99594	91,5 - 94,5	3 5/8 - 3 5/7
99600	97,5 - 100,5	3 4/5 - 4
99604	101,5 - 104,5	4 - 4 1/8
99607	104,5 - 107,5	4 1/8 - 4 1/4
99610	107,5 - 110,5	4 1/4 - 4 1/3
99614	111,5 - 114,5	4 2/5 - 4 1/2
99620	117,5 - 120,5	4 5/8 - 4 6/8
99624	121,5 - 124,5	4 4/5 - 4 7/8
99627	124,5 - 127,5	4 7/8 - 5
99630	124,5 - 127,5	5 - 5 1/8
99633	130,5 - 133,5	5 1/8 - 5 1/4

Truck Make Clamps

DAF U-Bolt Clamps M10

Dinex no	A mm	C mm	Ø mm	Ø Inch	OE
ZINC					
90172	120,0	40,0	72,0	2 3/4	
90084	130,0	40,0	84,0	3 1/4	682602
90192	140,0	40,0	92,0	3 5/8	
90096	145,0	40,0	96,0	3 3/4	682603
90098	150,0	40,0	98,0	3 3/4	682604
90105	195,0	40,0	105,0	4 1/8	682606
90109	160,0	40,0	109,0	4 1/4	682605
90120	170,0	40,0	120,0	4 3/4	682608
90130	185,0	60,0	130,0	5 1/8	682610
90142	195,0	40,0	142,0	5 5/8	682611
90155	205,0	40,0	155,0	6	682612
88887	220,0	80,0	155,0	6	
90165	220,0	55,0	165,0	6 1/2	

Scania Clamps

Dinex no.	Ø mm	Ø Inch	OE
ALU			
68818	114,0-119,0	4 1/2	328928
68819	119,0-124,0	5	1300367

Truck Make Clamps

Volvo/Renault Clamps

Dinex no.	Dinex no.	Ø mm	Ø Inch	OE
ALU	INOX			
99042		39,0 - 42,0	1 5/8	
99045		42,0 - 45,0	1 3/4	
99048		45,0 - 48,0	1 7/8	
99051		48,0 - 51,0	2	
99055		52,0 - 55,0	2 1/8	975259
99058		55,0 - 58,0	2 1/4	975260
99061		58,0 - 61,0	2 3/8	
99064		61,0 - 64,0	2 1/2	
99067		65,0 - 67,0	2 5/8	
99071		68,0 - 71,0	2 3/4	
99074		71,0 - 74,0	2 7/8	
99077		74,0 - 77,0	3	
99083	99084	78,0 - 82,0	3 1/8	
99087	99088	83,0 - 87,0	3 1/4	
99096	99097	91,0 - 96,0	3 5/8	1193870
99100		100,0 - 106,0	3 7/8	
99108	99109	104,0 - 107,0	4	475499
99115	99116	108,0 - 114,0	4 1/2	
99120	99121	115,0 - 120,0	4 3/4	1589141
99127		123,0 - 128,0	5	
99135	99136	130,0 - 135,0	5 1/4	
99147		142,0 - 147,0	5 3/4	
99159		154,0 - 159,0	6	

Mercedes/Iveco Clamps

Dinex no.	Ø mm	Ø Inch	OE	Design
ALU				
28810	59,5 - 62,5	2 3/8	8585923	A
28881	63,0 - 66,0	2 1/2	8591167	A
28811	65,0 - 68,0	2 1/2	8582510	A
28880	67,0 - 70,0	2 3/4	8567698	A
50926	74,0 - 77,0	3	6.734.920.140	A
50945	76,0 - 79,0	3	61597491	A
28853	80,0 - 83,0	3 1/8	4839513	A
50927	87,5 - 90,5	3 1/2	4819971	A
50924	92,0 - 96,0	3 3/4	6.744.920.040	A
28858	97,0 - 100,0	4	2483398	A
28873	102,0 - 105,0	4	42081440/42075778	B
28856	104,0 - 107,0	4	61605919	A
28874	106,0 - 110,0	4 3/8	2491711	B
28865	114,0 - 118,0	4 1/2	42075779/42090154	B
28866	118,0 - 122,0	4 3/4	42075780/42094001	B
28875	128,0 - 132,0	5	42092219	B
28876	131,0 - 135,0	5 1/4	42091873	B
28828	146,0 - 151,0	5 3/4	42094497	B

Design A

Design B

U-Bolt Clamps

U-Bolt Clamps - M8*

Dinex no.	Dinex no.	A mm	C mm	Ø mm	Ø Inch
ZINC	INOX				
90028		50,0	25,0	29,0	1 1/8
90032		60,0	23,0	32,0	1 1/4
90035		63,0	26,0	37,0	1 3/8
90038		65,0	26,0	38,0	1 1/2
90041		70,0	29,0	44,0	1 5/8
90045		75,0	25,0	45,0	1 3/4
90048		75,0	25,0	48,0	1 7/8
90052		80,0	25,0	52,0	2
90054		85,0	25,0	54,0	2 1/8
90057		85,0	40,0	57,0	2 1/4
90060		90,0	33,0	60,0	2 3/8
90061		100,0	43,0	60,0	2 3/8
90064		95,0	35,0	65,0	2 1/2
90067		95,0	22,0	67,0	2 5/8
90070		100,0	22,0	70,0	2 3/4
90073		100,0	22,0	73,0	2 7/8
90069		105,0	27,0	70,0	2 3/4
90076		105,0	25,0	76,2	3
90078		115,0	35,0	76,2	3
90079		120,0	25,0	80,0	3 1/8
90083		115,0	24,0	83,0	3 1/4
90089		125,0	25,0	88,9	3 1/2
	90119	150,0	30,0	89,0	
90131		140,0	40,0	89,0	3 1/2
90092		130,0	30,0	92,0	3 5/8
90095		135,0	40,0	95,3	3 3/4
90102	90107	135,0	30,0	102,0	4
90113		150,0	50,0	102,0	4
90106		140,0	35,0	105,0	4 1/8
	90108	155,0	40,0	114,3	4 5/8
90117		162,0	50,0	114,3	4 5/8
90114	90111	150,0	40,0	114,3	4 5/8
90127	90112	165,0	33,0	127,0	5
90129		177,0	48,0	130,0	5 1/8
	90139	184,0	62,0	139,7	5 1/2

** Can be used for trailers (example - mud flaps)*

DIN Clamps

DIN Clamps

Dinex no.	Dinex no.	Ø mm	Ø Inch	Mercedes OE	MAN OE
ALU	INOX				
99741		40,3	1 1 /4		
99742		42,5	1 1/2		
99745		45,5	1 3/4	071.555.045.500	
99748		48,5	1 7/8	071.555.048.500	
99750		50,5	2	071.555.050.500	
99753		53,5	2 1/8	071.555.053.500	
99755		55,5		071.555.055.500	
99758		58,5	2 1/4	071.555.058.500	
99760		60,5	2 3/8	071.555.060.500	
99763		63,5	2 1/2	071.555.063.500	
99765		65,5		071.555.065.501	
99768		68,5	2 5/8	071.555.068.500	
99770		70,5	2 3/4	071.555.070.500	
99773		73,5	2 3/4	071.555.073.500	
99775		75,5		071.555.075.500	
99776	99777	76,5	3		
99778		78,5	3 1/8	071.555.078.502	
99780		80,5		071.555.080.502	
99785		85,5	3 3/8	071.555.085.502	06.67041.0121
99789	99790	90,5	3 1/2	071.555.090.501	06.67041.0123
99794		94,5	3 3/4		06.67041.0125
99700		100,5		071.555.100.500	06.67041.0124
99702		102,5	4		
99704	99703	104,5	4 1/8	071.555.104.501	81.97420.2017
99708		108,5	4 1/4		
99710	99711	110,5	4 3/8	071.555.110.501	81.97420.0073
99714	99715	114,5	4 1/2	81.97420.0085	
99720	99721	120,5	4 3/4	071.555.120.500	81.97420.0076
99724		124,5	4 7/8	071.555.124.500	
99727	99728	127,5	5		
99730		130,5	5 1/8	071.555.130.500	81.97401.0731

Material thickness 3-5 mm.

Hinged Clamps, Pipe Brackets & Pipe Clamps

Hinged Clamps

ZINC	Ø mm	Ø Inch
98753	53,5	2
98755	55,5	2 1/8
98758	58,5	2 1/4
98763	63,5	2 1/2
98765	65,5	2 5/8
98768	68,5	2 3/4
98770	70,5	2 7/8
98773	73,5	2 7/8
98775	75,5	3
98777	78,5	3 1/8
98780	80,5	3 1/8
98785	85,5	3 3/8
98790	90,5	3 1/2
98794	94,5	3 3/4
98700	100,5	3 7/8
98704	104,5	4 1/8
98710	110,5	4 3/8
98715	114,5	4 1/2
98720	120,5	4 3/4
98724	124,5	4 7/8
98730	130,5	5 1/8

Pipe Clamps

Dinex no	Ø mm	Ø Inch
ZINC		
99460	60	2 3/8
99475	75	3
99480	80	3 1/8
99490	90	3 1/2
99410	110	4 3/8
99420	120	4 3/4

Pipe Brackets

Dinex no.	Ø mm	Ø Inch	C mm	C Inch	L mm	Design
ZINC						
90151	50,0	2	11	1/2	85,0	A
90161	60,0	2 3/8	11	1/2	90,0	A
90171	70,0	2 3/4	11	1/2	100,0	A
90175	75,0	3	11	1/2	105,0	A
90181	80,0	3 1/8	11	1/2	122,0	A
90191	90,0	3 1/2	11	1/2	115,0	B
90104	100,0	3 7/8	11	1/2	120,0	B
90110	110,0	4 3/8	11	1/2	150,0	A
90116	115,0	4 1/2	11	1/2	155,0	A
90121	120,0	4 3/4	11	1/2	160,0	B

A

B

Material thickness 4 mm

V-Clamp Connection Kits (Truck Make Specific)

DAF

Dinex no.	Dinex no.	Dinex no.	Dinex no.	Dinex no.	Dinex no.	Ø mm	Ø Inch
Male	Male	Clamp	Clamp	Female	Female		
ALU	INOX	ALU	INOX	ALU	INOX		
78201		21817		78217	78241	101,6	4
78215	78225	21821		78216		114,3	4 1/2
78229	78240		21850	78230	78233	127,0	5

Mercedes

Dinex no.	Dinex no.	Dinex no.	Dinex no.	Dinex no.	Dinex no.	Ø mm	Ø Inch
Male	Male	Clamp	Clamp	Female	Female		
ALU	INOX	ALU	INOX	ALU	INOX		
78150		50829	50971	78151		50,0	2
78175	78220	50810	50972	50218		75,0	3
78189		50852	50973	51170		85,0	3 3/8
78200		50849	50974	51126		95,0	3 7/8

Volvo

Dinex no.	Dinex no.	Dinex no.	Dinex no.	Dinex no.	Dinex no.	Ø mm	Ø Inch
Male	Male	Clamp	Clamp	Female	Female		
ALU	INOX	ALU	INOX	ALU	INOX		
78190		80905	78890	78191	78235	88,9	3 1/2
			80806	78192		88,9	3 1/2
78202	78223	80910	78803	78203	78222	101,6	4
78214	78224	80848	78815	78218	78236	114,3	4 1/2
78227	78244	80921	78828	78228	78232	127,0	5

Scania

Dinex no.	Dinex no.	Dinex no.	Ø mm	Ø Inch
Male	Clamp	Female		
ALU	ALU	ALU		
78256	68835	78257	114,3	4 1/2
78269	68858	78268	127,0	5

Other Clamps

Dinex no.	Dinex no.	Ø mm	Ø Inch	Design
ZINC	INOX			
21817		110,0	4 1/2	3
21821	21850	127,0	5	3
50810	50972	76,0	3	1
50829	50971	50,0	2	1
50849	50974	102,0	4	1
50852	50973	88,9	3 1/2	1
80848		114,0	4 1/2	2
80905		88,4	3 1/2	3
80910		101,6	4	3
81921		127,0	5	4

Heavy Duty V-Clamps

Dinex no.	Dinex no.	A mm	mm	Inch	B°	C mm	D mm	E mm	Bolt
ALU	INOX	Clamp Ø	Pipe Ø	Pipe Ø	Vee Angle	Vee Depth	Vee Tip	Strap	Size
	51958	73	54,0	2	40°	4	6,6	20	M6
	66804	73	54,0	2	76°	8	R 2,5	none	M6
	68896	80	63,5	2 1/2	40°	5,8	6,75	20	M6
	74809	80	63,5	2 1/2	40°	7	8	20	M6
	88861	82	63,5	2 1/2	40°	4	6	20	M6
73809		84	63,5	2 1/2	76°	8	R 2,5	none	M6
	47820	97	76,1	3	40°	4,4	10	20	M6
	68897	97	76,1	3	40°	5	8	20	M6
	18921	99	76,1	3	40°	7	5	20	M6
	44805	102	76,1	3	40°	7	10	20	M6
	68899	102	88,9	3 1/2	40°	6	6,3	20	M6
	78801	105	88,9	3 1/2	40°	4	6	20	M6
	70819	108	88,9	3 1/2	40°	7	5	20	M6
	78890	113	88,9	3 1/2	40°	7	10	20	M6
	21895	116	88,9	3 1/2	40°	7,1	6,8	20	M6
	80807	119	88,9	3 1/2	84°	9,6	8,1	25	M8
	68898	120	101,6	4	40°	7,3	6,6	25	M8
	70804	121	101,6	4	40°	7	10	20	M6
	44937	122	101,6	4	40°	7	5,26	20	M6
	41833	124	101,6	4	40°	4	6,65	20	M6
80910	78803	125	101,6	4	40°	7	11	20	M6
	21896	129	114,3	4 1/2	40°	7	10,16	25	M8
	68835	132	114,3	4 1/2	40°	6	6	25	M8
68867		132	114,3	4 1/2	40°	6	6	none	M8
	80806	135	114,3	4 1/2	86°	9,5	8,1	25	M8
	78815	137	114,3	4 1/2	40°	7	11	20	M6
29806		138	114,3	4 1/2	40°	7	9	20	M6
	49939	142	114,3	4 1/2	40°	8	9,2	25	M8
	51964	145	127,0	5	40°	6	6,6	25	M8
	68858	146	127,0	5	40°	6	6	20	M6
	78828	151	127,0	5	40°	7	10	25	M8
	80918	151	127,0	5	40°	7	10	25	M8
80921		151	127,0	5	40°	7	10	20	M6
81921		151	127,0	5	40°	7	10	none	M6
	21850	151	127,0	5	40°	7	7	20	M6
	99128	155	127,0	5	40°	7	5,26	20	M6
	28905	159	127,0	5	40°	9,5	8,8	25	M8
	86810	175	152,2	6	40°	7	6,5	20	M6
	43958	186	152,2	6	40°	7	3,2	20	M6

V-Clamps Low Leakage (for Euro IV to VI Applications)

Single Bolt (For Applications < 550° C)

Dinex no.	Dinex no.	L1	Dinex no.	Dinex no.	L2	Ø	Ø
Clamp*	Male**	mm	Gasket	Female**	mm	mm	Inch
99679	532511	100	78844	532510	100	76,1	3
99680	532515	61	78845	532514	100	88,9	3 1/2
99681	532517	100	78846	532516	100	101,6	4
99682	532521	100	78847	532520	100	114,3	4 1/2
99683	532523	55	78848	532522	100	127,0	5

Double Bolt (For Applications < 1000° C)

Dinex no.	Dinex no.	L1	Dinex no.	Dinex no.	L2	Ø	Ø
Clamp*	Male**	mm	Gasket	Female**	mm	mm	Inch
99684	532511	100	78839	532510	100	76,1	3
99685	532515	61	78840	532514	100	88,9	3 1/2
99686	532517	100	78841	532516	100	101,6	4
99687	532521	100	78842	532520	100	114,3	4 1/2
99688	532523	55	78843	532522	100	127,0	5

**Max tightening torque 40 Nm - two 8 mm bolts*
*** Material: Stainless steel grade EN 1.4303*

Exhaust Assembly Paste

Dinex no	ml
78800	500

Withstand temperatures up to 1000 °C.

Rubber Mountings

M8

49907
81.96210.052

21822
0285530
651183

50907
322.504.0212

51941
001.987.5240

28837
98415197

M10

49838
81.96210.0101

50950
697.987.0139

49910
81.96210.0153

64804
5000750531

44800
0487257

50910
001.987.5340

69804
4.771.333.000

80949
324842

64817
5000750630

69817
4.771.244.000

80951
1580440

70807
36233 S1

24903
104939-8

M12

21820
0221342

80950
6 850149

68900
40607

92975
4.771.308.000

21905
1405183

Universal

50912
667.490.0037

24902
100348-3

50904
309.490.0037

50984
202.492.0344

64801
0000689778

24904
117280-3

21828
0298390

28901
93818454

50809
381.492.0082

50985
901.492.0044

Pipe & Silencer Straps

Dinex no	Ø mm	Ø Inch
ALU		
98060	60,0	2 3/8
98076	76,2	3
98089	88,9	3 1/2
98102	101,6	4
98108	108,5	4 1/4
98114	114,3	4 1/2
98127	127,0	5
98155	155,0	6
98184	184,0	7
98206	206,0	8
98249	249,0	10
98260	260,0	10 1/4
98284	284,0	11
98300	300,0	11 3/4
98320	320,0	12

Dinex no	Ø mm	Ø Inch
ALU		
98752	155,0	6
98778	178,0	7
98784	184,0	7 1/4
98703	206,0	8
98728	228,0	9
98754	254,0	10
98779	284,0	11
98805	300,0	12
28800	380,0	15

Dinex no	Ø mm	Ø Inch
ALU		
49815	180x280	7 x 10 3/4
88805	202x302	8 x 11 7/8
49841	180x280	7 x 10 3/4
70816	254x381	10 x 15
50860	180x280	7 x 10 3/4
49801	250x300	9 7/8 x 11 7/8
49833	305x505	12 x 19 7/8
21819	254x380	10 x 15

49815

88805

49841

70816

50860

49801

49833

21819

Adjustable Silencer Strap

Dinex no
ALU
95505

Material thickness 3 mm.

For body straps for specific vertical systems, please see seperate sections of the catalogue (page 53-54).

Dinex no	Ø mm	Ø Inch
ALU		
98061	65	2 1/2
98062	65	2 1/2

Material thickness 3 mm.

98061

98062

Heat Shields

Dinex no.	L mm	Dinex no.	ID mm	Dinex no.
INOX		B (x2)		C
95506	1000	95876	76,2	95801
95520	1000	95889	88,9	95801
95532	1000	95802	101,6	95801
95545	1000	95814	114,3	95801
95627	1000	95827	127,0	95801
95614	1000	95884	184,0	95801
95636	1000	95906	206,0	95801
95680	1000	95950	250,0	95801
95717	1250	95448	265,0	95801
95714	1000	95984	284,0	95801
68814	900	68813	300,0	
95716	1300	95426	300,0	95801

Dinex no.	L mm	Ø mm	L1 mm
ZINC			
95550	800	50	100
95560	800	60	100
95570	800	70	100
95575	800	75	100
95589	800	90	140
95510	800	110	140
95514	800	114	140
95521	800	120	140
95503	800	160	140

Ø - pipe diameter
Brackets are included

Bends OD/OD

90° (OD/OD)

Dinex no.	Dinex no.	L mm	OD mm	OD Inch	CLR
ALU	INOX				
91039		129	38,0	1 1/2	54,0
91046		180	45,0	1 3/4	64,0
91050		190	50,0	2	95,0
	91250	190	50,8	2	95,0
91056		240	57,0	2 1/4	85,0
91059	91259	240	60,0	2 3/8	100,0
	91264	190	63,5	2 1/2	85,0
91063		265	63,5	2 1/2	85,0
91065		265	65,0	2 5/8	91,0
91071		270	70,0	2 3/4	98,0
91073		290	75,0	3	135,0
91075	91275	295	76,2	3	99,1
91080		290	80,0	3 1/8	115,0
91088	91288	320	88,9	3 1/2	135,0
91091		320	88,9	3 1/2	177,0
91100		380	100,0	3 7/8	203,0
91101	91201	380	101,6	4	150,0
91106	91107	254	101,6	4	150,0
91109		400	110,0	4 3/8	148,0
91111		450	110,0	4 3/8	148,0
91113		390	114,3	4 1/2	161,0
	91213	400	114,3	4 1/2	161,0
91120		410	120,0	4 3/4	170,0
91125		330	127,0	5	173,0
91127	91228	415	127,0	5	173,0
91153		475	152,4	6	225,0

Material thickness ranging from 1,5 to 2,0 mm.

Bends OD/OD

60° (OD/OD)

Dinex no.	L mm	OD mm	OD Inch	CLR
ALU				
92438	90	38,0	1 1/2	54,0
92442	100	42,0	1 5/8	95,0
92448	155	48,0	2	95,0
92450	155	50,0	2	95,0
92460	165	60,0	2 3/8	100,0
92465	205	65,0	2 5/8	91,0
92470	180	70,0	2 3/4	135,0
92475	190	75,0	3	135,0
92476	180	76,2	3	99,1
92480	250	80,0	3 1/4	115,0
92489	205	88,9	3 1/2	135,0
92490	210	90,0	3 5/8	177,0
92500	250	100,0	4	150,0
92510	360	110,0	4 3/8	148,0
92515	310	114,3	4 1/2	161,0
92520	380	120,0	4 3/4	173,0
92526	320	127,0	5	173,0

45° (OD/OD)

Dinex no.	Dinex no.	L mm	OD mm	OD Inch	CLR
ALU	INOX				
92039		112,0	38,0	1 1/2	54,0
92040		140,0	38,0	1 1/2	54,0
92046		142,5	45,0	1 3/4	64,0
92050		140,0	50,0	2	95,0
92056		150,0	57,0	2 1/4	85,0
92059		150,0	60,0	2 3/8	100,0
92063		180,0	63,5	2 1/2	85,0
92061	92263	140,0	63,5	2 1/2	85,0
92062		180,0	63,5	2 1/2	85,0
92065		180,0	65,0	2 5/8	91,0
92071		205,0	70,0	2 3/4	98,0
92075		230,0	76,2	3	99,1
92080		230,0	80,0	3 1/8	115,0
92088		225,0	88,9	3 1/2	177,0
92100		245,0	100,0	3 7/8	203,0
92101		245,0	101,6	4	203,0
92104		235,0	101,6	4	150,0
92109		260,0	110,0	4 3/8	148,0
92113		260,0	114,3	4 1/2	161,0
92120		365,0	120,0	4 3/4	170,0
92127		365,0	127,0	5	173,0
92129		305,0	127,0	5	173,0
92153		338,0	152,4	6	225,0

Material thickness ranging from 1,5 to 2,0 mm.

Bends OD/ID

90° (OD/ID)

Dinex no.	Dinex no.	L mm	ID mm	OD mm	OD Inch	CLR
ALU	INOX					
91038		129	39,0	38,0	1 1/2	54,0
91045		180	46,0	45,0	1 3/4	64,0
91051	91552	195	51,5	50,0	2	95,0
	91550	195	51,3	51,0	2	95,0
91057		240	57,6	57,0	2 1/4	85,0
91060	91560	240	60,5	60,0	2 3/8	100,0
	91563	190	64,0	63,5	2 1/2	85,0
91064		265	64,0	63,5	2 1/2	85,0
91066		265	65,3	65,0	2 5/8	91,0
91070		270	70,3	70,0	2 3/4	98,0
91074		290	75,5	75,0	3	135,0
91076		290	76,5	76,1	3	99,1
	91576	295	76,7	76,1	3	135,0
91089	91589	320	89,4	88,9	3 1/2	177,0
91102		380	102,1	101,6	4	150,0
	91502	380	102,1	101,6	4	150,0
91103		200	102,1	101,6	4	150,0
91105		254	102,1	101,6	4	150,0
91108		400	108,5	108,0	4 1/4	148,0
91110		400	110,5	110,0	4 3/8	148,0
91114	91514	390	114,8	114,3	4 1/2	161,0
91121		410	121,0	120,0	4 3/4	170,0
91128	91527	415	128,0	127,0	5	173,0
91129		330	128,0	127,0	5	173,0
91152		475	153,5	152,4	5	225,0

Material thickness ranging from 1,5 to 2,0 mm.

Bends OD/ID

60° (OD/ID)

Dinex no.	L mm	ID mm	OD mm	OD Inch	CLR
ALU					
92338	100,0	38,3	38,0	1 1/2	100
92348	90,0	48,3	48,0	2	95
92350	80,0	50,3	50,0	2	95
92360	165,0	60,3	60,0	2 3/8	100
92365	210,0	65,3	65,0	2 5/8	91
92370	200,0	70,3	70,0	2 3/4	135
92375	250,0	75,3	75,0	3	135
92380	250,0	80,3	80,0	3 1/4	115
92389	202,4	89,2	88,9	3 1/2	177
92390	200,0	90,3	90,0	3 5/8	177
92400	254,0	100,3	100,0	4	150
92410	210,0	110,3	110,0	4 3/8	260
92414	240,0	114,6	114,3	4 1/2	161
92420	400,0	120,3	120,0	4 3/4	161
92427	140,0	127,3	127,0	5	173

45° (OD/ID)

Dinex no.	Dinex no.	L mm	ID mm	OD mm	OD Inch	CLR
ALU						
92038		112,0	39,0	38,0	1 1/2	54,0
92045		142,5	46,0	45,0	1 3/4	64,0
92051		140,0	51,3	50,0	2	95,0
	92551	180,0	51,5	50.8	2	95,0
92057		150,0	57,6	57,0	2 1/4	85,0
	92560	150,0	60,5	60,0	2	100,0
92060		150,0	60,5	60,0	2 3/8	100,0
	92563	180,0	64,0	63,5	2 1/2	85,0
92064		180,0	64,0	63,5	2 1/2	85,0
92066		180,0	65,5	65,0	2 5/8	91,0
92070		205,0	70,3	70,0	2 3/4	98,0
92074		230,0	75,5	75,0	3	135,0
92076	92576	205,0	76,7	76,1	3	99,1
92089	92589	225,0	89,4	88,9	3 1/2	177,0
92102	92502	245,0	102,1	101,6	4	203,0
92103		235,0	102,1	101,6	4	150,0
92108		260,0	108,5	108,0	4 1/4	148,0
92110		260,0	110,5	110,0	4 3/8	148,0
92114	92514	260,0	114,8	114,3	4 1/2	161,0
92121		365,0	121,0	120,0	4 3/4	170,0
92126		305,0	128,0	127,0	5	173,0
92128	92528	365,0	128,0	127,0	5	173,0
	92527	375,0	128,0	127,0	5	173,0
92152		338,0	153,5	152,4	6	225,0

Material thickness ranging from 1,5 to 2,0 mm.

Elbows

OD/OD

Dinex no.	L mm	Dinex no.	L mm	OD mm	OD Inch
SPD		INOX			
96050	200			50,0	2
96064	200			63,5	2 1/2
96075	194	96375	200	76,2	3
96088	180	96388	201	88,9	3 1/2
96101	200	96401	236	101,6	4
91104	152			101,6	4
96107	190			108,0	4 1/4
96113	200		200	114,3	4 1/2
		96412	254	114,3	4 1/2
96126	223	96426	266	127,0	5

OD/OD (Welded/Thin Wall)

Dinex no.	Dinex no.	OD mm	Inch	T mm	CLR
SPD	INOX				
96046	96246	50,8	2	1,5	50,8
96063		63,5	2 1/2	1,5	50,8
	96263	63,5	2 1/2	1,5	63,0
	96274	76,2	3	1,5	63,5
96074	96278	76,2	3	1,5	76,2
	96287	88,9	3 1/2	1,5	76,0
96087	96288	88,9	3 1/2	1,5	88,9
	96300	101,6	4	1,5	85,0
96100	96301	101,6	4	1,5	101,6
96106		108,0	4 1/4	1,5	76,0
	96312	114,3	4 1/2	1,5	96,8
96112		114,3	4 1/2	1,5	114,3
	96325	127,0	5	1,5	100,0
96109		127,0	5	1,5	127,0
96125		130,0	5 1/8	1,5	100,0

Material thickness ranging from 1,5 to 2,0 mm.

OD/OD (Cast)

Dinex no.	Dinex no.	OD mm	Inch	T mm	CLR
SPD	INOX				
96260		60,0	2 3/8	2,9	76
96270		70,0	2 3/4	2,9	92
	96277	76,1	3	2,0	95
96276		76,1	3	2,9	95
	96290	88,9	3 1/2	2,0	114
96289		88,9	3 1/2	3,2	115
96202		101,6	4	3,6	134
	96204	104,0	4	2,0	150
96208		108,0	4 1/4	3,6	143
	96215	114,8	4 1/2	2,0	152
96214		114,3	4 1/2	3,6	153
	96230	129,0	5 1/8	2,0	188
96229		133,0	5 1/4	4,0	188

Elbows

OD/ID

Dinex no.	Dinex no.	L1 mm	L2 mm	OD mm	ID mm	OD Inch
SPD	INOX					
96051		200	200	50,0	51,3	2
96065		200	200	63,5	64,0	2 1/2
96076	96376	200	200	76,1	77,0	3
96089		200	210	89,0	89,5	3 1/2
	96389	201	203	88,9	91,0	3 1/2
96102		200	210	101,6	102,5	4
	96402	243	243	101,6	102,1	4
96108		200	210	108,0	108,5	4 1/4
96110		200	210	110,0	111,0	4 1/3
96114	96414	207	207	114,3	114,5	4 1/2
91126		255	255	127,0	128,0	5
96127		225	223	127,0	128,0	5
	96427	265	265	127,0	128,0	5

ID/ID

Dinex no.	Dinex no.	L1 mm	L2 mm	ID mm	ID Inch
SPD	INOX				
97051		200	200	51,3	2
97065	96373	200	200	64,0	2 1/2
97076		200	200	77,0	3
	96377	200	200	76,8	3
97089		200	200	89,5	3 1/2
	96390	200	200	89,5	3 1/2
97102		200	210	102,5	4
	96403	243	243	102,1	4
97110		220	210	110,5	4 3/8
97108		200	210	108,5	4 1/4
97114		207	207	114,5	4 1/2
	96415	254	254	114,8	4 1/2
97127		225	225	128,0	5

Material thickness ranging from 1,5 to 2,0 mm.

Straight Pipes

ALU

Dinex no.	Dinex no.	Dinex no.	OD mm	OD Inch
L2000mm	L3000mm	L6000mm		
93738		93938	38,0	1 1/2
93745			45,0	1 3/4
93750	93952	93951	50,0	2
94754		93954	54,0	2 1/8
94757		93957	57,0	2 1/4
93361	93360	93960	60,0	2 3/8
93364	93363		63,5	2 1/2
93366	93365	93916	65,0	2 5/8
93371	93370	93970	70,0	2 3/4
94774			75,0	2 7/8
94775		93975	76,0	3
94780		93981	80,0	3 3/8
94790		93990	88,9	3 1/2
94700		94900	100,0	4
94703	93384	93903	101,6	4
94710		93911	110,0	4 1/4
94715			114,3	4 1/2
94720		93921	120,0	4 3/4
94727	93385	93928	127,0	5
94740			140,0	5 1/2
94750			150,0	5 7/8
93753		93953	152,4	6

MILD STEEL

Dinex no.	Dinex no.	Dinex no.	OD mm	OD Inch
L2000mm	L3000mm	L6000mm		
93332			32,0	1 1/4
93335			35,0	1 3/8
93338			38,0	1 1/2
93344			45,0	1 3/4
93348			48,0	1 7/8
93350			50,0	2
93354			54,0	2 1/8
93357			570	2 1/4
93358			60,0	2 3/8
93377		93976	76,2	3
93379			80,0	3 1/8
93383			83,0	3 1/4
93390	93389		88,9	3 1/2
93303	93302	93902	101,6	4
93309	93308	93908	108,0	4 1/4
93310	93311		110,0	4 5/16
93315	93314	93914	114,3	4 1/2
93352			152,4	6
93359			160,0	6 5/16

INOX

Dinex no.	Dinex no.	Dinex no.	OD mm	OD Inch
L1000mm	L2000mm	L2500mm		
93538			38,0	1 1/2
93550			50,0	2
93552	93551		51,0	2
	93560		60,0	2 3/8
93545	93566		63,0	2 1/2
	93576	93276	76,2	3
	93589		88,9	3 1/2
	93502		101,6	4
	93514		114,3	4 1/2
	93527		127,0	5

Material thickness 1,5 mm.

Extension Pipes

ALU

Dinex no.	Dinex no.	Dinex no.	Dinex no.	ID mm	OD mm	OD Inch
L600mm	L1000mm	L1500mm	L2500mm			
93651	93051	93151		51,3	50,0	2
93657	93057	93157		57,6	60,0	2 1/4
93660	93060	93160		60,5	60,0	2 3/8
93664	93064	93164		64,0	63,5	2 1/2
93670	93070	93170		70,3	69,8	2 3/4
93676	93076	93176		76,7	76,2	3
93689	93089	93189		89,4	88,9	3 1/2
93602	93002	93102		102,1	101,6	4
93608	93008	93108		108,5	108,0	4 1/4
93610	93010	93110		111,0	110,0	4 3/8
93614	93014	93114		114,8	114,3	4 1/2
93620	93020	93120		121,0	120,0	4 3/4
93627	93027	93127	93228	128,0	127,0	5

INOX

Dinex no.	Dinex no.	Dinex no.	ID mm	OD mm	OD Inch
L1000mm	L1500mm	L2500mm			
93564			64,0	63,5	2 1/2
	93577	93277	76,7	76,2	3
	93590		89,9	89,4	3 1/2
	93503		102,1	101,6	4
	93515		114,8	114,3	4 1/2
	93528		128,0	127,0	5

Material thickness 1,5 mm.

Tail Pipes

Tail Pipes OD

Dinex no.	Dinex no.	OD mm	OD Inch	L mm
ALU	INOX			
91477	91476	76,1	3	1000
	91489	89,0	3 1/2	1000
80714		88,9	3 1/2	1220
	91289	88,9	3 1/2	1500
	91402	101,6	4	1000
91403	91202	101,6	4	1500
91410		110,0	4 3/8	1000
80646		114,3	4 1/2	940
	91414	114,0	4 1/2	1000
80647		114,0	4 1/2	1450
	91214	114,3	4 1/2	1500
91428	91427	127,0	5	1000
91429	91426	127,0	5	1500
	91433	127,0	5	2000

Dinex no.	OD mm	OD Inch	L mm
ALU			
85639	114,3	4 1/2	313

Tail Pipes ID

Dinex no.	Dinex no.	ID mm	ID Inch	L mm
ALU	INOX			
91450		50,5	2	260
91460		60,5	2 3/8	305
91465		65,5	2 5/8	1500
91470		70,5	2 3/4	300
91475		75,5	3	365
	91077	76,2	3	500
89699		76,0	3	1130
	91277	76,2	3	1500
	91377	77,0	3	2500
91480		80,5	3 1/8	340
	91090	90,2	3 1/2	500
	91390	89,5	3 1/2	2500
	91290	89,5	3 1/2	1500
91491		90,5	3 1/2	360
91401		101,0	3 7/8	375
	91003	102,0	4	500
	91203	102,0	4	1500
	91303	102,1	4	2500
91412		111,0	4 3/8	535
91411		111,0	4 3/8	1500
	91215	114,3	4 1/2	1500
80665		115,0	4 1/2	535
	91015	115,0	4 1/2	500
80661		115,0	4 1/2	1045
	91315	115,0	4 1/2	2500
91421		121,0	4 3/4	515
91420		121,0	4 3/4	1500
91431	91432	128,0	5	500
91430	91227	128,0	5	1500

T & Y Adaptors, Connectors

Dinex no.	Dinex no.	OD mm	OD Inch
ALU	INOX		
91776		76,0	3
91789		89,0	3 1/2
91714	91715	114,3	4 1/2
91727		127,0	5

Dinex no.	OD mm	OD Inch
ALU		
18104	76,0	3
91490	89,0	3 1/2
91404	101,6	4

Dinex no.	OD mm	OD Inch
ALU		
92789	89,0	3 1/2
92702	102,0	4

Dinex no.	ID/OD mm	ID/OD Inch
ALU		
68642	111,5/110,0	4 3/8-4 /8

Dinex no.	OD mm	OD Inch	Design
INOX			
91814	114,3	4 1/2	T

Pipe Adaptors

ID/ID

Dinex no.	ID1 mm	ID2 mm	ID1 Inch	ID2 Inch
ALU	INOX			
93751	51,0	60,5	2	2 3/8
93760	60,5	64,0	2 3/8	2 1/2
93761	60,5	70,5	2 3/8	2 3/4
93762	60,5	76,7	2 3/8	3
93764	64,5	70,8	2 1/2	2 3/4
93770	70,5	76,7	2 3/4	3
93774	75,5	90,5	3	3 1/2
93776	76,7	89,5	3	3 1/2
93777	76,7	103,0	3	4
93780	80,5	89,5	3 1/8	3 1/2
93772	80,5	102,1	3 1/8	4
93789	89,4	102,1	3 1/2	4
93791	89,4	108,5	3 1/2	4 1/4
93792	89,4	110,5	3 1/2	
93793	89,4	114,8	3 1/2	4 1/2
93794	90,5	114,8	3 1/2	4 1/2
93799	101,0	103,0	4	4
93700	101,0	114,8	4	4 1/2
93702	102,0	109,0	4	4 1/4
93704	102,1	110,5	4	
93713	102,1	114,8	4	4 1/2
93705	102,1	127,5	4	5
93708	108,5	114,8	4 1/4	4 1/2
93711	108,5	120,5	4 1/4	4 3/4
93712	108,5	127,5	4 1/4	5
93716	110,5	114,8	4 1/2	
93717	110,5	120,5	4 3/4	
93718	110,5	127,5	5	
93719	114,8	127,5	4 1/4	5
93720	120,5	127,5	4 3/4	5

OD/OD

Dinex no.	OD1 mm	OD2 mm	OD1 Inch	OD2 Inch
ALU				
93795	54	57	2 1/8	2 1/4
93834	54	60	2 1/8	2 3/8
93830	60	62	2 3/8	2 3/8
93757	62	65	2 3/8	2 1/2

Material thickness 1,5 mm

ID/OD

Dinex no.	Dinex no.	ID mm	OD mm	ID Inch	OD Inch
ALU	INOX				
	93754	38,0	50,0	1 1/2	2
	93766	50,0	63,5	2	2 1/2
93832		54,5	60,0	2 1/8	2 3/8
93798		54,5	61,5	2 1/8	2 3/8
93758		54,5	65,0	2 1/8	2 1/2
93835		54,5	60,0	2 1/4	2 3/8
93797		58	61,5	2 1/4	2 3/8
93796		60,5	61,5	2 3/8	2 3/8
93763		64,5	70,0	2 1/2	2 3/4
93769		70,8	76,2	2 3/4	3
93775		76,7	88,9	3	3 1/2
93785		77,0	102,0	3	4
93778		89,4	101,6	3 1/2	4
68125		89,5	110,0	3 1/2	4 3/8
93701		102,0	108,0	4	4 1/4
93714		102,1	114,3	4	4 1/2
93707		108,5	114,3	4 1/4	4 1/2
93225		103,0	127,0	4	5
93729		115,0	127,0	4 1/2	5

ID/OD

Dinex no.	Dinex no.	ID mm	OD mm	ID Inch	OD Inch
ALU	INOX				
	93755	50,0	38,0	2	1 1/2
93756		58,0	54,0	2 1/4	2 1/8
93800		61,0	57,5	2 3/8	2 1/4
	93767	63,5	50,0	2 1/2	2
93833		65,5	60,0	2 5/8	2 3/8
93782		77,0	76,0	3	3
93790		89,4	76,2	3 1/2	3
93787		90,0	89,0	3 7/8	3 1/2
93783		103,0	76,0	4	3
93721		103,0	102,0	4	4
93703		102,1	88,9	4	3 1/2
93710		110,5	101,6	4	3 1/3
93715		114,8	101,6	4 1/2	4
93722		128,0	102,0	5	4
93726		128,0	127,0	5	5

Pipe Connectors

ID/ID

Dinex no.	ID mm	ID Inch	L mm
ALU			
93752	51,0	2	200
93759	61,0	2 3/8	200
93765	66,0	2 5/8	220
93771	71,0	2 3/4	210
93773	76,0	3	200
93781	76,5	3	200
93779	81,0	3 1/8	270
93788	90,0	3 1/2	250
93784	101,0	4	300
93706	103,0	4	200
93786	111,0	4 3/8	210
93725	115,0	4 1/2	300
93723	121,0	4 3/4	210
93724	128,0	5	205

Material thickness 1,5 mm

OD/OD

Dinex no.	OD mm	OD Inch
ALU		
93831	60	2 3/8
93801	62	2 3/8

Material thickness 1,5 mm

Insulation

Dinex no.	Layer	Dimensions
210085	Reflect Ins layer	50 mm/5,5 mm
210084	Reflect Ins layer	100 mm/5,5 mm
210086	Protective outer layer	80 mm/5,0 mm

Flex Pipes

ZINC

Dinex no.	Dinex no.	OD mm	OD Inch	ID mm	ID Inch	Flex
L1000mm	L2000mm					
94125	94225	29,0	1 1/7	25,0	1	D2S
94128	94228	34,0	1 1/3	30,0	1 1/8	D2S
94132	94232	36,0	1 2/5	32,0	1 1/4	D2S
94135	94235	40,0	1 3/5	36,0	1 3/8	D2S
94138	94238	43,0	1 5/7	39,0	1 1/2	D2S
94141	94241	46,0	1 4/5	42,0	1 5/8	D2S
94144	94244	49,0	1 9/10	45,0	1 3/5	D2S
94148	94248	52,0	2	48,0	1 7/8	D2S
94151	94251	55,0	2 1/6	51,0	2	D2S
94154	94254	58,5	2 2/6	54,5	2 1/8	D2S
94157	94257	62,0	2 2/5	58,0	2 1/4	D2S
94160	94260	65,0	2 4/7	61,0	2 3/8	D2S
94164	94264	68,0	2 2/3	64,0	2 1/2	D2S
94165	94265	70,0	2 5/7	66,0	2 5/8	D2S+
94167	94267	71,0	2 4/5	67,0	2 5/8	D2S+
94170	94270	74,0	2 9/10	70,0	2 3/4	D2S
94176	94276	81,1	3 1/5	77,1	3	D2S
94180	94280	85,0	3 1/3	81,0	3 1/8	D2S+
94183	94283	87,0	3 2/5	83,0	3 1/4	D2S
94185	94285	90,0	3 1/2	86,0	3 2/5	D2S
94189	94289	92,9	3 5/7	88,9	3 1/2	D2S
94192	94292	97,0	3 4/5	93,0	3 5/8	D2S+
94195	94295	99,0	3 8/9	95,0	3 3/4	D2S
94100	94200	105,0	4 1/8	101,0	3 7/8	D2S+
94102	94202	106,7	4 1/5	102,7	4	D2S+
94108	94208	112,0	4 2/5	108,0	4 1/4	D2S+
94110	94210	114,0	4 1/2	110,0	4 3 /8	D2S
94114	94214	119,5	4 5/7	115,5	4 1/2	D2S+
94120	94220	125,2	4 9/10	121,2	4 3/4	D2S
94126	94226	130,5	5 1/8	126,5	5	D2S+
94127	94227	132,3	5 1/5	128,3	5	D2S
94131	94231	135,5	5 1/3	131,5	5 1/3	D2S+
94140	94240	145,0	5 3/4	141,0	5 1/2	D2S+
94152	94252	157,5	6 1/5	153,5	6	D2S+

Max temperature 550 degrees - corrosion can occur at high temperatures.

L - compressed length

D2S

D2S+

Flex Pipes

INOX

Dinex no.	Dinex no.	OD mm	OD Inch	ID mm	ID Inch	Flex
L1000mm	L2000mm					
95125	95225	29,0	1 1/7	25,0	1	D2S
95132	95232	36,0	1 2/5	32,0	1 1/4	D2S
95138	95238	43,0	1 5/7	39,0	1 1/2	D2S
95141	95241	46,0	1 4/5	42,0	1 5/8	D2S
95144	95244	49,0	1 9/10	45,0	1 3/4	D2S
95151	95251	55,0	2 1/6	51,0	2	D2S
95154	95254	58,0	2 1/4	54,0	2 1/8	D2S
95157	95257	62,0	2 2/5	58,0	2 1/4	D2S
95160	95260	65,0	2 1/2	61,0	2 3/8	D2S
95164	95264	68,0	2 1/6	64,0	2 1/2	D2S
95165	95265	70,0	2 5/7	66,0	2 5/8	D2S
95170	95270	74,0	2 9/10	70,0	2 3/4	D2S
95176	95276	81,1	3 1/5	77,1	3	D2S+
95180	95280	85,0	3 1/3	81,0	3 1/8	D2S+
95185	95285	90,0	3 1/2	86,0	3 2/5	D2S
95189	95289	92,9	3 5/7	88,9	3 1/2	D2S+
	95217	93,9	3 5/7	89,9	3 1/2	D3S
95100	95200	105,0	4 1/8	101,0	3 7/8	D2S+
95102	95202	106,7	4 1/5	102,7	4	D2S+
	95218	106,7	4 1/2	102,7	4	D3S
95108	95208	112,0	4 2/5	108,0	4 1/4	D2S
95110	95210	114,0	4 1/2	110,0	4 3/8	D2S+
95114	95214	119,5	4 5/7	115,5	4 1/2	D2S+
95120	95220	125,2	4 9/10	121,2	4 3/4	D2S+
95126	95226	130,5	5 1/8	126,5	5	D2S
95127	95227	132,3	5 1/5	128,3	5	D2S+
	95219	132,3	5 1/5	128,3	5	D3S
95131	95231	135,5	5 1/3	131,5	5 1/8	D2S
95140	95240	144,0	5 2/3	140,0	5 1/2	D2S+
95153	95253	157,5	6 1/5	153,5	6	D2S+

Max temperature 550 degrees.

L - compressed length

INOX - Convoluted Flex

Dinex no.	L mm	OD mm	OD Inch	ID mm	ID Inch
95191	1000	103,0	4	77,0	3
95192	1000	115,0	4 1/2	90,0	3 1/2
95193	1000	12,08	5	103,0	4

Flex Pipes

INOX (L<1000 mm)

Dinex no.	L mm	OD mm	ID mm	ID Inch	Flex
87151	410	55,0	51,0	2	D2S
87139	450	65,0	61,0	2 3/8	D2S
87164	450	68,0	64,0	2 1/2	D2S
50163	250	74,0	70,0	2 3/4	D2S
28270	224	81,0	77,0	3	D2S+
80220	326	81,0	77,0	3	D2S+
87176	450	81,0	77,0	3	D2S
95124	195	94,0	90,0	3 1/2	D2S
80641	210	94,0	90,0	3 1/2	D2S+
80513	258	94,0	90,0	3 1/2	D2S+
80157	365	94,0	90,0	3 1/2	D2S+
80155	392	94,0	90,0	3 1/2	D2S+
87189	450	94,0	90,0	3 1/2	D2S
49176	285	105,0	101,0	3 7/8	D2S
49199	375	105,0	101,0	3 7/8	D2S
82133	334	106,7	102,7	4	D2S+
81128	238	107,0	103,0	4	D2S+
64220	258	107,0	103,0	4	D2S+
87102	420	107,0	103,0	4	D2S+
80183	542	107,0	103,0	4	D2S+
94500	513	107,0	103,0	4	D2S+
49133	315	115,0	111,0	4 3/8	D2S+
68217	262	119,0	115,0	4 1/2	D2S+
81224	306	119,0	115,0	4 1/2	D2S+
81191	296	119,0	115,0	4 1/2	D2S+
80131	373	119,0	115,0	4 1/2	D2S+
95194	440	119,0	115,0	4 1/2	D2S
87114	450	119,0	115,0	4 1/2	D2S
80655	500	119,0	115,0	4 1/2	D2S
82187	233	119,5	115,9	4 1/2	D2S+
49247	382	125,5	121,5	4 3/4	D2S+
81728	124	132,3	128,3	5 1/16	D2S+
82140	295	132,3	128,3	5 1/16	D2S+
94501	513	132,0	128,0	5	D2S+

Max temperature 550 degrees.

L - compressed length

Flex Pipes

Flex Pipes with Joints

Dinex no.	A-end		B-end		L mm	Flex
	Type	Ø mm	Type	Ø mm		
53162	Plain	OD 71,5	Slitted	ID 77,0	365	D2S+
51290	Plain	OD 88,9	Slitted	ID 90,5	365	D2S+
52176	Slitted	ID 76,0	Slitted	ID 72,5	365	D2S+
47194	Plain	OD 110,0	Flex	ID 111,0	415	D2S+
47183	Plain	OD 110,0	Flex	ID 111,0	375	D2S+

Bellows

With Exterior Steel Braid

Dinex no.	L mm	ID/OD mm	C mm	D mm
INOX				
95351	150	ID 51,0	100	25
95350	275	OD 51,5	215	30
95361	250	ID 60,5	200	25
95362	150	ID 60,0	100	25
95364	250	ID 64,5	200	25
95376	385	ID 76,0	275	50
95375	250	ID 76,5	200	25
95389	385	ID 90,0	300	50
95301	385	ID 103,0	285	50
95315	385	ID 115,0	285	50

With Steel Braid & Inner Flex Layer

Dinex no.	L mm	ID/OD mm	C mm	D mm
INOX				
95352	100	ID 51,0	50	25
95353	150	ID 51,0	100	25
95354	205	ID 54,0	155	25
95363	200	ID 60,5	150	25
95334	152	ID 76,2	102	25
95335	203	ID 76,2	153	25
95336	254	ID 76,2	204	25

Bellows

Additional Bellow Types

Dinex no.	L mm	ID/OD mm	C mm	D mm
INOX				
95360	240	ID 61,0	120	60
95370	180	ID 71,0	110	35
95302	179	OD 102,0	103	38
95314	215	OD 114,3	95	60

Dinex no.	L mm	ID mm	C mm	D mm
INOX				
95390	380	90,0	188	60

Dinex no.	L mm	OD mm	C mm	D mm
INOX				
87141	160	102,0	81	42

Dinex no.	L mm	ID mm	C mm	D mm
INOX				
95304	240	61,0	203	37
95310	295	89,0	251	22

Single layer
Outer braider

Dinex no.	L mm	ID mm	C mm	D mm
INOX				
95311	308	110,0	268	20
95337	225	85,2	180	

Single layer

Dinex no.	L mm	ID mm	C mm
INOX			
95313	298	111,0	288

Double layer

Dinex no.	L mm	ID mm
INOX		
95312	88	103,0

Single layer
Outer braider

Absorption Silencers

Dinex no.	L mm	Ø mm	ID mm	ID Inch
ALU				
89352	740	155	51,0	2
89360	950	184	60,5	2 3/8
89487	890	184	64,0	2 1/2
89376	1140	184	77,0	3
89438	890	206	103,0	4
68305	1050	300	111,0	4 3/8
87316	1050	300	115,0	4 1/2
89327	1140	249	128,0	5
87354	1050	300	154,0	6

Auxiliary Heater Exhaust Flex pipes

Auxiliary heater exhaust flex pipes (Double-layer)

Dinex no.	Dinex no.	Dinex no.	ID mm	Wall thickness	Bending
L1000mm	L2000mm	L20000mm		mm	Radius mm
95279	95281	95081	22	1,7	~44
95284	95282	95084	24	1,7	~48
	95286	95088	30	1,7	~60
	95291	95094	38	1,7	~76
	95297	95097	50	1,7	~100
	95296	95096	70	1,7	~140

Material: INOX
Thermal resistance: -40°C to + 300°C

Universal Silencers

Ø50-70/20-160 HP (kW = HP/1,36)

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89441	20-70	15-52	495	152	ID 51,5	OD 50,8

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
50401	50-110	37-81	770	181	ID 51,0	ID 51,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89488	20-70	15-52	298	175	ID 51,0	OD 50,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
29302	90-160	66-118	1025	203	ID 64,0	ID 77,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
49338	90-160	66-118	955	203	D 66,0	ID 66,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
49311	90-140	66-103	950	203	ID 66,0	ID 66,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
47300	90-160	66-118	810	180x277	ID 66,0	ID 90,5

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
88312	90-160	66-118	510	202x302	ID 71,0	ID 66,0

Universal Silencers

Ø75-Ø80 / 90-240 HP (kW=HP/1,36)

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	OD
28331	100-230	73-170	750	210x330	77,0	76,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	OD
21335	90-230	66-170	850	263	77,0	88,9

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
16305	90-230	66-170	740	203	77,0	77,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
15301	90-160	66-118	825	203	77,0	77,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
80316	90-160	66-118	585	246	77,0	77,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
44337	90-140	66-103	830	246	77,0	90,5

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	OD
89466	90-160	66-118	540	297	77,0	75,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	OD
89497	90-160	66-118	540	263	77,0	75,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	ID
49337	90-240	66-177	910	180x277	81,0	90,5

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	ID
49368	90-240	66-177	994	180x277	81,0	90,5

Universal Silencers

Ø90-Ø115 / 90-250 HP (kW=HP/1,36)

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
89390	90-250	66-184	1000	181	90,0	90,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	OD
89326	90-250	66-184	740	263	89,5	102,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
89456	90-250	66-184	920	234	90,0	115,5

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	OD
50337	90-200	66-147	1120	180X277	90,5	86,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	OD
50356	90-150	66-111	1060	180X277	90,5	71,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	OD
50417	90-200	66-147	920	210X330	90,5	85,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
21312	100-250	3-184	840	297	ID 90,5	OD 89,0
50399	160-250	120-184	1200	234	ID 90,5	ID 90,5

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU					ID	ID
80334	100-220	73-162	845	246	90,5	90,5

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU					ID	OD
50425	170-240	125-177	1060	180X277	90,5	85,0

Universal Silencers

Ø100-Ø111 / 200-450 HP (kW=HP/1,36)

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89403	200-300	147-221	1000	181	ID 103,0	ID 103,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89332	200-300	147-221	1060	338	OD 102,0	ID 102,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
50404	200-340	147-250	1220	297	ID 101,0	OD 104,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
50392	200-300	147-221	1155	281	ID 101,0	OD 100,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
50422	200-300	147-221	750	281	ID 101,0	OD 85,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
44304	200-300	147-221	1230	252	ID 102,0	ID 102,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89322	300-450	221-331	1050	297	ID 111,0	OD 111,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
49371	300-400	221-295	840	246x297	OD 104,3	ID 111,3

Universal Silencers

Ø102-Ø128 / 300-500 HP (kW=HP/1,36)

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89415	300-350	221-258	1000	181	ID 115,0	ID 115,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
24313	300-450	221-331	1240	251x327	ID 115,0	ID 115,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
21327	300-450	221-331	970	347	ID 115,0	OD 114,3

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
21325	300-450	221-331	880	347	ID 115,0	OD 114,3

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
68323	300-500	221-368	1115	271x375	ID 115,0	ID 115,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
50393	300-500	221-368	1190	297	ID 101,5	ID 101,5

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
49364	300-500	221-368	660	301x500	ID 121,0	OD 114,3

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
80407	300-500	221-368	1565	246	ID 128,0	ID 128,0

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
ALU						
70324	300-500	221-368	1075	252x379	ID 128,0	ID 128,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
70320	300-500	221-368	1235	246	ID 128,0	ID 128,0

Universal Silencers

Ø61-Ø115 / 60-500 HP with Heat shield (kW=HP/1,36)

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89387	60-120	44-88	895	181	ID 61,0	ID 61,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89363	90-160	66-118	680	152	ID 66,0	OD 61,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89453	200-300	147-221	1090	246	D 103,0	ID 103,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
ALU						
89443	300-500	221-368	1500	297	ID 115,0	ID 115,0

Universal Silencers, INOX

Ø89-Ø103 / 120-600 HP (kW=HP/1,36)

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
INOX						
89426	120-250	88-184	840	263	ID 90,5	OD 89,0

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
INOX						
89301	120-250	88-184	990	246	ID 90,5	OD 101,6

Dinex no.	HP	KW	L mm	WxL	Inlet	Outlet
INOX						
89452	120-250	88-184	740	180x277	ID 89,5	ID 89,5

Dinex no.	HP	KW	L mm	Ø mm	Inlet	Outlet
INOX						
89451	350-600	258-441	970	397	ID 103,0	OD 140,0

Spark Arrestors

Universal

Dinex no.	ID mm	OD mm	Ø mm	L mm	HP
ALU					
40350	51,0	50,0	155	470	100
40360	61,0	60,0	155	470	120
40375	64,5	63,5	155	470	140
40376	77,0	76,2	178	470	220
40388	90,0	88,9	300	500	280
40400	103,0	101,6	300	500	300
40413	115,0	114,3	300	500	320
40426	128,0	127,0	300	500	350

Combined Silencers and Spark Arrestors

Dinex no.	ID mm	OD mm	Ø mm	L mm	HP
ALU					
40401	101,6	101,6	300	1120	280
40414	115,0	114,3	300	1120	320
40427	128,0	127,0	300	1120	350

Combined Silencers and Spark Arrestors

Dinex no.	ID mm	OD mm	Ø mm	L mm	HP
ALU					
89484	103,0	101,6	297	1050	300

Combined Silencer and Spark Arrestor

Dinex no.	ID mm	OD mm	Ø mm	L mm	HP
ALU					
88330	103,0	140,0	400	960	450

Pipe Spark Arrestors & Exhaust Trims

Dinex no.	Ø mm
GALV	
40800	32,5 - 39,0
40801	39,5 - 44,0
40802	44,5 - 49,0
40803	49,5 - 54,0
40804	54,5 - 59,0

Repair Kit

Dinex no.
GALV
40805

Dinex no.
GALV
40822

Dinex no.	Ø mm
GAVL	
40806	50,5
40807	55,5
40808	60,5
40809	65,5
40810	70,5
40811	75,5
40812	80,5
40813	85,5
40814	90,5
40815	95,5
40816	101,0
40817	106,0
40818	111,0
40819	116,0
40820	121,0 - 126,0
40821	131,0 - 136,0

Adaptor

Dinex no.	Ø mm
GALV	
40823	45

Exhaust Trims

Dinex no.	ID	L
ZINK	mm	mm
50789	80,5	85

Universal Catalytic Converters

<3,5 Ltr. Catalytic Converter

Dinex no.
INOX
40315

<3,5 Ltr. Accessories

Dinex no.	Pipe OD	Adapter ID
INOX		
40076	75,0	76,0
40050	50,0	51,0
40057	57,0	58,0
40060	60,0	61,0
40063	63,5	64,5
40065	65,0	66,0
40070	70,0	71,0

3,5-8 Ltr. Catalytic Converter

Dinex no.
INOX
40316

3,5-8 Ltr. Accessories

Dinex no.	Pipe OD	Adapter ID
INOX		
40076	75,0	76,0
40076	75,0	76,0
40077	76,0	77,0
40081	80,0	81,0
40090	89,0	90,0
40091	90,0	91,0
40101	100,0	101,0
40102	101,6	102,5

8-14 Ltr. Catalytic Converter

Dinex no.
INOX
40300

8-14 Ltr. Accessories

Dinex no.	Pipe OD	Adapter ID
INOX		
40076	75,0	76,0
40077	76,0	77,0
40081	80,0	81,0
40090	89,0	90,0
40091	90,0	91,0
40101	100,0	101,0
40102	101,6	102,5
40109	108,0	109,0
40111	110,0	111,0
40115	114,3	115,0

Rain Caps

Dinex no.	Dinex no.	Ø mm	Ø Inch
ZINC	INOX		
98450	98550	50,5	2
98460	98560	60,5	2 3/8
98464	98564	63,5	2 1/2
98470	98570	70,5	2 3/4
98476	98576	76,5	3
98480	98580	80,5	3 1/8
98489	98589	90,0	3 1/2
98400	98500	100,5	3 7/8
98402	98602	102,0	4
98410	98608	110,5	4 3/8
98414	98614	115,0	4 1/2
98420	98620	120,5	4 3/4
98427	98627	127,5	5
98451	98651	152,0	6

Dinex no.	Ø mm	Ø Inch
ZINC		
98445	45,0	1 3/4
98452	50,0	2
98455	55,0	2 1/8
98461	60,0	2 3/8
98465	65,0	2 5/8
98471	70,0	2 7/8
98475	75,0	3
98481	80,0	3 1/8
98491	90,0	3 1/2
98401	100,0	3 7/8
98411	110,0	4 3/8
98415	115,0	4 1/2
98421	120,0	4 3/4
98430	130,0	5 1/8

VIP Systems

- Identifying the Correct VIP System

Choose VIP system according to the engine power output.

Ensure that the VIP pipe diameter is the same or larger than the original pipework.

Select quality of VIP materials.

		Pipe in/outlet size					
		ID 3 inch	ID 3½ inch	ID 4 inch	ID 4 inch	ID 4½ inch	ID 5 inch
		(77 mm)	(89,5 mm)	(103 mm)	(103 mm)	(115 mm)	(128 mm)
Material	AL	1/1	2/1	3/1	4/1	5/1	6/1
	AS	1/2	2/2	3/2	4/2	5/2	6/2
	SS	1/3	2/3	3/3	4/3	5/3	6/3
		-210	180-270	220-275	230-325	295-460	325-500
		Engine Output Power (HP)					

AL = All parts in aluminised steel
AS = Heat shield and tail pipe in stainless steel, other parts in aluminised steel
SS = All parts in stainless steel

VIP Systems

- Identifying the Correct VIP System

VIP	Silencer	Tail pipe	Heat shield	For silencer Clamp A	For heat shield Clamp B	For pipes Clamp C
System				(x2)	(x2)	(x2)
1/1	87376	91477	95580	98783	95423	99877
1/2	87376	91476	95681	98783	95423	99877
1/3	87377	91476	95681	98783	95423	99878
2/1	87389	80714	95580	98783	95423	99890
2/2	87389	91489	95681	98783	95423	99890
2/3	87390	91489	95681	98783	95423	99891
3/1	87402	91403	95549	98783	95423	99903
3/2	87402	91202	95650	98783	95423	99903
3/3	87403	91202	95650	98783	95423	99904
4/1	87404	91403	95548	98782	95949	99903
4/2	87404	91202	95649	98782	95949	99903
4/3	87405	91202	95649	98782	95949	99904
5/1	87314	80647	95548	98782	95949	99915
5/2	87314	91214	95649	98782	95949	99915
5/3	87315	91214	95649	98782	95949	99916
6/1	87327	91429	95548	98782	95949	99928
6/2	87327	91426	95649	98782	95949	99928
6/3	87328	91426	95649	98782	95949	99925

VIP Systems - Parts Specification

Silencers

Dinex no.		T mm	T Inch	L mm	L Inch	B mm	B Inch	ID mm	ID Inch	HP
87376	AL	927	36 1/2	800	31 1/2	184,0	7 1/4	77,0	3	< 210
87377	SS	927	36 1/2	800	31 1/2	184,0	7 1/4	77,0	3	< 210
87389	AL	927	36 1/2	800	31 1/2	184,0	7 1/4	89,0	3 1/2	180-270
87390	SS	927	36 1/2	800	31 1/2	184,0	7 1/4	89,5	3 1/2	180-270
87402	AL	1145	45	965	38	184,0	7 1/4	104,0	4	220-275
87404	AL	1219	48	1041	41	249,0	9 3/4	104,0	4	230-325
87405	SS	1219	48	1041	41	249,0	9 3/4	104,0	4	230-325
87314	AL	1219	48	1041	41	249,0	9 3/4	115,0	4 1/2	295-460
87315	SS	1219	48	1041	41	249,0	9 3/4	115,0	4 1/2	295-460
87327	AL	1219	48	1041	41	249,0	9 3/4	128,0	5	325-500
87328	SS	1219	48	1041	41	249,0	9 3/4	128,0	5	325-500

Tail Pipes

Dinex no.		L mm	L Inch	OD mm	OD Inch
91477	AL	1000	39 3/8	76,0	3
91476	SS	1000	39 3/8	76,0	3
80714	AL	1220	48	89,5	3 1/2
91489	SS	1000	39 3/8	89,5	3 1/2
91403	AL	1500	59	101,6	4
91202	SS	1500	59	101,6	4
80647	AL	1450	57	114,3	4 1/2
91214	SS	1500	59	114,3	4 1/2
91429	AL	1500	59	127,0	5
91426	SS	1500	59	127,0	5

Heat Shields

Dinex no.		L mm	L Inch	OD mm	OD Inch
95580	AL	1000	39 3/8	214,0	8 3/8
95681	SS	1000	39 3/8	214,0	8 3/8
95549	AL	1250	49 1/4	214,0	8 3/8
95650	SS	1250	49 1/4	214,0	8 3/8
95652	SS	1250	49 1/4	279,0	9 3/4
95548	AL	1250	49 1/4	279,0	11
95649	SS	1250	49 1/4	279,0	11

For Silencers (A)

Dinex no.		ID mm	ID Inch
98783	SS	184,0	7 1/4
98782	SS	249,0	9 3/4

For Heat Shields (B)

Dinex no.		ID mm	ID Inch
95423	SS	184,0	7 1/4
95949	SS	249,0	9 3/4

For Pipes (C)

Dinex no.		ID mm	ID Inch
99877	LA	80,0	3
99878	SS	80,0	3
99890	LA	93,5	3 1/2
99891	SS	93,5	3 1/2
99903	LA	106,0	4
99904	SS	106,0	4
99915	LA	118,0	4 1/2
99916	SS	118,0	4 1/2
99928	LA	132,0	5
99925	SS	132,0	5

VIP Systems - Parts Specification

Support Mast

Dinex no.	
95511	Kit

Grab Handles

Dinex no.	For heat shield
95800	95681
95801	95549
95801	95650
95801	95548
95801	95649
95801	95716
95801	95717

Vertical Outlet Pipe Systems

Systems with Heat Shield 800 mm - ZINC

Dinex no.			Dinex no.		Dinex no.	Dinex no.	Dinex no.	Dinex no.
System	Ø mm	L mm	Heat shield	A mm	Tail Pipe	Bend	Clamp	Cross bar
95611	80	1500			91681	91680	99780	95502
95612	80	2000			91682	91680	99780	95502
95613	80	2250			91683	91680	99780	95502
95602	90	1500	95589	800	91691	91690	99789	95502
95603	90	2000	95589	800	91692	91690	99789	95502
95604	90	2250	95589	800	91693	91690	99789	95502
95608	100	1500	95503	800	91601	91600	99700	95502
95609	100	2000	95503	800	91602	91600	99700	95502
95610	100	2250	95503	800	91603	91600	99700	95502
95605	120	1500	95521	800	91621	91620	99720	95502
95606	120	2000	95521	800	91622	91620	99720	95502
95607	120	2250	95521	800	91623	91620	99720	95502
95617	130	2250	95522	800	91624	91625	99730	95502

Systems with Heat Shield 1000 mm - INOX

Dinex no.			Dinex no.			Dinex no.	Dinex no.	Dinex no.	Dinex no.
System	Ø mm	L mm	Heat shield	Clamp	A mm	Tail Pipe	Bend	Clamp	Cross bar
95615	101,6	2000	95532	95802	1000	91604	91605	99702	95502
95616	127,0	2000	95627	95827	1000	91627	91628	99702	95502

Vertical Outlet Pipe Systems

Systems with Heat Shield 1200 mm - ZINC

Dinex no.				Dinex no.	Dinex no.	Dinex no.	Dinex no.
System	Ø mm	L mm	A mm	Tail Pipe	Bend	Clamp	Cross bar
95590	100	1500	1200	91601	91600	99700	95502
95592	100	2000	1200	91602	91600	99700	95502
95594	100	2250	1200	91603	91600	99700	95502
95596	120	1500	1200	91621	91620	99720	95502
95598	120	2000	1200	91622	91620	99720	95502
95600	120	2250	1200	91623	91620	99720	95502

Systems with Heat Shield 1200 mm - INOX

Dinex no.				Dinex no.	Dinex no.	Dinex no.	Dinex no.
System	Ø mm	L mm	A mm	Tail Pipe	Bend	Clamp	Cross bar
95591	100	1500	1200	91601	91600	99700	95502
95593	100	2000	1200	91602	91600	99700	95502
95595	100	2250	1200	91603	91600	99700	95502
95597	120	1500	1200	91621	91620	99720	95502
95599	120	2000	1200	91622	91620	99720	95502
95601	120	2250	1200	91623	91620	99720	95502

Flex pipe mounting instruction

Recommendation. Use Dinex FlexFit clamps together with exhaust sealing past to minimize leakage of exhaust gas.

Please make spot welding after cutting the flex pipe to avoid the flex pipe loosening up.

Dinex FlexFit clamp with Exhaust Sealing Paste indside to minimize the leakage of exhaust gas.

The flex pipe must be in middle position for correct mounting.

The flex pipe should not be twisted or bent.

Notes

Notes

Notes

Notes

Make contact

We are ready to serve you – please contact us!

Sales & Distribution

Denmark
Dinex A/S
Fynsvej 39
DK-5500 Middelfart
Tel +45 63 41 25 00
Fax +45 63 41 25 25
dinex@dinex.dk

France
Dinex France S.A.S.
6, rue des Malines
F-91090 Lisses
Tel +33 1 69 11 88 00
Fax +33 1 69 11 88 01
dinex@dinex.fr

Italy
Dinex Italia S.r.l.
Zona Art.-Industriale
IT-64021 Colleranesco
Giulianova (TE)
Tel +39 085 8028693
Fax +39 085 8028692
dinex@dinex.it

Spain
Dinex Ibérica
Sistemas de Escape S.L.
Ctra. de Torrelles, Nave 42
E-08620 Sant Vicenc, Dels Horts
Barcelona
Tel +34 93 656 81 40
Fax +34 93 656 01 00
dinex@dinexescape.es

Serbia
Dinex Balkan D.O.O.
Ive Lole Ribara 65
21203 Veternik
Tel +381 21 310 10 26
dinex@dinex.rs

Germany
Dinex Deutschland GmbH
Adam-Stegerwald-Str. 21
67454 Haßloch
Tel +49 180 225 1125
Fax +49 6655 918601
bestellung@dinex.de

Poland
Dinex Polska Sp. z o.o.
ul. Starowiejska 11
PL-80-180 Kowale k/Gdanska
Tel +48 58 712 66 55
Fax +48 58 712 66 65
dinex@dinex.pl

United Kingdom
Dinex Exhausts Ltd.
14 Chesford Grange
Woolston, Warrington
Cheshire WA1 4RE, UK
Tel +44 1925 849 849
Fax +44 1925 849 850
dinex@dinex.co.uk

Production, Sales & Distribution

Latvia
Dinex Latvia SIA
Rubeņu ceļš 58, Raubēni
Ozolnieku nov. LV-3002
Tel +371 63020200
Fax +371 63020059
dinex@dinex.lv

Turkey
Dinex Egzoz ve Emisyon Teknolojileri San. ve Tic. AŞ
Yıldırım Beyazıt Mah.
Bayrak Sok. No:16/1
TR-59500 Cerkezköy/Tekirdag
Tel +90 282 736 4040
Fax +90 282 727 4040
dinex@dinex.com.tr

USA
Dinex Emission Inc.
2020 Waldrep Industrial Blvd.
Dublin, GA 31021, USA
Tel +1 478 272 2466
Fax +1 478 272 2491
dinex@dinexemission.com

Russia
Dinex RUS LLC
188300 Russian Federation
LO, Gatchinskiy district
Gatchina city, ul Industrialnaya, d. 20B
Tel.:+78 126 104 007
Fax: +78 137 191 855
dinex@dinex.net

Finland
Dinex Finland OY
P.O. Box 20 (Vihtavuorentie 162)
FIN-41331 Vihtavuori,
Tel +358 10 65351
Fax +358 62 350000
info@dinex.fi

China
Dinex Emission System Co., Ltd.
Building 9, No.2, Teng Long Road
Wujin Economic Zone,
Changzhou Jiangsu Province, CN
Tel +86 0519 8129 1586
Fax +86 0519 8129 2586
dinex@dinex.cn

Head Office
Denmark
Dinex A/S
Fynsvej 39
DK-5500 Middelfart
Tel +45 63 41 25 00
Fax+45 63 41 25 25
dinex@dinex.dk

going the extra mile

1AA002 | 03.01.001.06.2019.00.GB © Dinex A/S, Denmark

www.dinex.net

All drawings & illustrations are the property right of Dinex and cannot be copied, duplicated or re-printed in any form without the prior written consent from Dinex.